

Datasheet

V88- TV mounts for LCD and Plasma Televisions and Monitors

V88-F100	Super Fixed Mount for Small TVs 13 to 24" 9kg
V88-F40S	Slim profile 2.0cm (3/4"), Fixed Mount 32" to 46" TV up to 25kg
V88-F40LP	Low Profile 1.0cm (3/8") Fixed Mount 32" to 46" TV up to 25kg
V88-F40ULP	Ultra Low Profile 0.4cm Fixed Mount 26" to 46" TV up to 25kg
V88-F60LP	Low Profile Fixed Mount 37" to 65" TV up to 45kg
V88-A20	Articulated Mount up to 37" TV up to 25kg (+3⁰/-10⁰ /180⁰)
V88-A40	Articulated Mount 32" to 46" TV up to 25kg (+2⁰/-10⁰ /180⁰)
V88-A60	Articulated Mount 37" to 65" TV up to 45kg (+2⁰/-10⁰ /180⁰)
V88-T20	Tilt Mount up to 37" TV up to 25kg (+3⁰/-10⁰)
V88-T40	Tilt Mount 32" to 46" TV up to 25kg (+5⁰/-12⁰)
V88-T60	Tilt Mount 37" to 60" TV up to 45kg (+5⁰/-12⁰)
V88-P22	Projector ceiling tilt mount up to 13kg (22.6 to 113.7cm extension) 360⁰

The Vision V88- range of TV mounts for LCD and Plasma televisions and monitors offers a choice of fixed, tilt and fully articulated models for the professional installer. These very high quality LCD mounts are built from high quality steel pressings and alloy castings finished in electrostatic powder coat paint for a blemish free finish and durability.

The range has now been extended to include a universal projector ceiling mount for commercial applications. The installer can be confident of high quality, ease of installation and reliability with Vision V88- LCD mounts. All models are compatible with standard TV fixing dimensions and screw sizes including VESA standards.

All Vision V88- LCD mounts are supplied with the necessary fixings for solid walls and a selection of screw lengths and sizes with spacers for most TV/monitor applications. The installer must check the suitability of the wall for strength. For example we do not recommend mounting a TV on a dry wall partition unless there are adequate timber studs suitable for the combined load of the TV and mount. We do not supply screws or fixings for dry wall/stud partitioning.


The installer must inspect and check the suitability of the screws and spacers to be used in the back of the TV. If the screws are too long it may be possible to damage the screen and internal components of the TV. The TV should be mounted as close as possible to the LCD mount. Where a TV is curved, it may be necessary to use spacers to move the TV forward from the mount to allow for the curvature of the back of the TV.


We recommend that the installer checks in detail that the selected LCD mount is suitable for the TV and application. If a TV with rear mounted connectors is mounted too close to the wall it may not be possible to allow space for the connectors or any cable bending radius.

The installer should also check that any uprights of the bracket assembly are compatible with the size, and design of the TV including the position of the mounting screws in the TV rear panel. Not all mounting screws are in the centre or symmetrical with the TV casing. We advise checking that the upright mounting bars are clear of any connector panels and are not visible at either the top or bottom of the TV.

Datasheet


Fixed LCD Mounts


V88-F40S	Slim 2.0cm Fixed Mount 32" to 46" TV up to 25kg	
	Suggested Screen Sizes	32" to 46"
	Mounting Pattern	400 x 400mm max
	Maximum Load	25kg (55lbs)
	Profile	2.0cm (0.8")
	Length of upright mounting bar	453mm (17 7/8")
	Maximum width of bracket	465mm (18 5/8")
	Tilt Range	FIXED
	Pan/Swivel Range	FIXED
	Construction	Pressed Steel
	Finish	Matt Black Electrostatic Powder Coat
	Product Features	Integrated Level Automatic Safety Device

V88-F40LP	Low Profile 1.0cm Fixed Mount 26" to 46" TV up to 25kg	
	Suggested Screen Sizes	26" to 46"
	Mounting Pattern	400 x 400mm max
	Maximum Load	25kg (55lbs)
	Profile	Very Low 1.0cm (0.4")
	Length of upright mounting bar	453mm (17 7/8")
	Maximum width of bracket	560mm (22")
	Tilt Range	FIXED
	Pan/Swivel Range	FIXED
	Construction	Pressed Steel
	Finish	Matt Black Electrostatic Powder Coat
	Product Features	Very Low Profile : Integrated Level Safety Device

In the interests of continued product improvement and development we reserve the right to change specifications, design and dimensions without prior notice.
Details correct at date of publication 28/08/15 E&OE ©2016 Vision Products (Europe) Ltd

Vision Products (Europe) Ltd, Redbourne Park, Liliput Road, Brackmills, Northampton NN4 7DT
Tel: 01604 662748 Fax: 01604 662746 Email: technical@vision-products.co.uk
Company Reg No: 5044512
www.vision-products.co.uk


V88-F40ULP	Ultra Low Profile 0.4cm Fixed Mount 26" to 46" TV up to 45kg	
	Suggested Screen Sizes	27" to 46"
	Mounting Pattern	400 x 400mm max
	Maximum Load	45kg (100lbs)
	Profile	Ultra Low 0.40cm (0.16")
	Maximum width of bracket	490mm (19¼")
	Tilt Range	FIXED
	Pan/Swivel Range	FIXED
	Construction	Pressed Steel
	Finish	Matt Black Electrostatic Powder Coat
	Product Features	Ultra Low Profile : Integrated Level Lockable Safety Device


V88-F60LP	Very Low Profile 1.0cm Fixed Mount 37" to 65" TV up to 45kg	
	Suggested Screen Sizes	37" to 65"
	Mounting Pattern	600 x 400mm max
	Maximum Load	45kg (100lbs)
	Profile	Very Low 1.0cm (0.4")
	Length of upright mounting bar	453mm (17 ¾")
	Maximum width of bracket	760mm (29¾")
	Tilt Range	FIXED
	Pan/Swivel Range	FIXED
	Construction	Pressed Steel
	Finish	Matt Black Electrostatic Powder Coat
Product Features	Very Low Profile : Integrated Level Lockable Safety Device	

In the interests of continued product improvement and development we reserve the right to change specifications, design and dimensions without prior notice.
 Details correct at date of publication 28/08/15 E&OE ©2016 Vision Products (Europe) Ltd

Vision Products (Europe) Ltd, Redbourne Park, Liliput Road, Brackmills, Northampton NN4 7DT
 Tel: 01604 662748 Fax: 01604 662746 Email: technical@vision-products.co.uk
 Company Reg No: 5044512
www.vision-products.co.uk

Articulated LCD Mounts


V88-A20		Articulated LCD Mount up to 37" TV up to 25kg (+3°/-10° /180°)	
	Suggested Screen Sizes	Up to 37"	
	Mounting Pattern	200 x 200mm max	
	Maximum Load	25kg (55lbs)	
	Profile	4.2cm - 35cm (1.7" – 13.8")	
	Minimum folded dimension	235mm x 235mm (9¼" x 9¼")	
	Tilt Range	3° up / 10° down	
	Pan/Swivel Range	Up to 180° (subject to TV size)	
	Construction	Pressed Steel / diecast alloy / plastic parts	
	Finish	Matt Black Electrostatic Powder Coat	
	Product Features	Very Low Profile : Integrated Level: Fixings cover : Level Correction : Cable Management	

V88-A40		Articulated LCD Mount 32" to 46" TV up to 25kg (+3°/-10° /180°)	
	Suggested Screen Sizes	32" to 46"	
	Mounting Pattern	400 x 400mm max	
	Maximum Load	25kg (55lbs)	
	Profile	4.0cm - 41.6cm (1.6" – 16.4")	
	Length of upright mounting bar	440mm (17¾")	
	Maximum width of bracket	503mm (19¾")	
	Tilt Range	2° up / 10° down	
	Pan/Swivel Range	Up to 180° (subject to TV size)	
	Construction	Pressed Steel / diecast alloy / plastic parts	
	Finish	Matt Black Electrostatic Powder Coat	
Product Features	Low Profile : Integrated Level: Fixings cover : Level Correction : Cable Management : Safety Lock Strong/rigid diecast alloy pivot arm		

In the interests of continued product improvement and development we reserve the right to change specifications, design and dimensions without prior notice.
Details correct at date of publication 28/08/15 E&OE ©2016 Vision Products (Europe) Ltd

Vision Products (Europe) Ltd, Redbourne Park, Liliput Road, Brackmills, Northampton NN4 7DT
Tel: 01604 662748 Fax: 01604 662746 Email: technical@vision-products.co.uk
Company Reg No: 5044512
www.vision-products.co.uk

Datasheet

V88-A60		Articulated LCD Mount up to 65" TV up to 45kg (+3°/-10° /180°)	
	Suggested Screen Sizes	37" to 65"	
	Mounting Pattern	600 x 400mm max	
	Maximum Load	45kg (100lbs)	
	Profile	3.8cm - 41.2cm (1.5" – 16.2")	
	Length of upright mounting bar	440mm (17 3/8")	
	Maximum bracket width	695mm (27 1/4")	
	Tilt Range	2° up / 10° down	
	Pan/Swivel Range	Up to 180° (subject to TV size)	
	Construction	Pressed Steel / diecast alloy / plastic parts	
	Finish	Matt Black Electrostatic Powder Coat	
	Product Features	Low Profile : Integrated Level: Fixings cover : Level Correction : Cable Management : Safety Lock Double braced pantograph pivot Strong/rigid diecast alloy pivot arms	

Tilt LCD Mounts

V88-T20		Tilt LCD Mount up to 37" TV up to 25kg (+3°/-10°)	
	Suggested Screen Sizes	Up to 37"	
	Mounting Pattern	200 x 200mm max	
	Maximum Load	25kg (55lbs)	
	Profile	6.5cm (2.6")	
	Minimum dimension	193mm x 127mm (7 5/8" x 5")	
	Tilt Range	3° up / 10° down	
	Pan/Swivel Range	Tilt up/down only	
	Construction	Pressed Steel / diecast alloy / plastic parts	
	Finish	Matt Black Electrostatic Powder Coat	
	Product Features	Low Profile : Integrated Level: Fixings cover : Level Correction :	


In the interests of continued product improvement and development we reserve the right to change specifications, design and dimensions without prior notice.
 Details correct at date of publication 28/08/15 E&OE ©2016 Vision Products (Europe) Ltd

Vision Products (Europe) Ltd, Redbourne Park, Liliput Road, Brackmills, Northampton NN4 7DT
 Tel: 01604 662748 Fax: 01604 662746 Email: technical@vision-products.co.uk
 Company Reg No: 5044512
 www.vision-products.co.uk

Datasheet


TILT LCD Mounts

V88-T40		Tilt LCD Mount 32" to 46" TV up to 25kg (+5°/-12°)	
	Suggested Screen Sizes	Up to 46"	
	Mounting Pattern	400 x 400mm max	
	Maximum Load	25kg (55lbs)	
	Profile	5.8cm (2.3")	
	Length of upright mounting bar	450mm (17¾")	
	Maximum width of bracket	549mm (22¾")	
	Tilt Range	5° up / 12° down	
	Pan/Swivel Range	Tilt up/down only	
	Construction	Pressed Steel / plastic parts	
	Finish	Matt Black Electrostatic Powder Coat	
	Product Features	Low Profile : Integrated Level: Automatic Safety Lock	


V88-T60		Tilt LCD Mount 37 to 65" TV up to 45kg (+5°/-12°)	
	Suggested Screen Sizes	Up to 65"	
	Mounting Pattern	600 x 400mm max	
	Maximum Load	45kg (100lbs)	
	Profile	5.8cm (2.3")	
	Length of upright mounting bar	450mm (17¾")	
	Maximum width of bracket	745mm (29¾")	
	Tilt Range	5° up / 12° down	
	Pan/Swivel Range	Tilt up/down only	
	Construction	Pressed Steel / plastic parts	
	Finish	Matt Black Electrostatic Powder	
	Product Features	Low Profile : Integrated Level: Automatic Safety Lock	

Datasheet

Ceiling Mounts for Projectors

V88-P22		Ceiling Projector Mount up to 13.6kg (+/-25°)	
	Suggested Projector Size	Up to 13.6kg (30lbs)	
	Mounting Pattern	Universal	
	Maximum Load	13.6kg (30lbs)	
	Distance from Ceiling	22.6cm – 113.7cm (8.9” – 44.8”)	
	Tilt Range	25° up/down	
	Pan/Swivel Range	360°	
	Construction	Pressed Steel, tubular and plastic parts	
	Finish	Matt Black Electrostatic Powder Coat	
	Product Features	Fully adjustable tilt & roll Suitable for pitched or angled ceilings Height adjustable	

Ultra Slim fixed mount for small TVs

V88-F100		Ultra Slim fixed LCD Mount for small TVs 13” to 24”	
	Suggested TV sizes	13” to 24”	
	Mounting Pattern	VESA 75 or 100	
	Maximum Load	9.0kgs (20lbs)	
	Profile	1.3cm (1/2”) Not suitable for TVs with rear facing connectors	
	Maximum dimension	153mm x 123mm (6 1/8” x 4 3/4”)	
	Tilt Range	Fixed	
	Security	Allen Key lockable with lift and slide for safety and ease of installation	
	Construction	Extruded Aluminium and plastic parts	
	Finish	Matt Black Electrostatic Powder Coat	
	Product Features	Integral spirit level	

In the interests of continued product improvement and development we reserve the right to change specifications, design and dimensions without prior notice.
Details correct at date of publication 28/08/15 E&OE ©2016 Vision Products (Europe) Ltd

Vision Products (Europe) Ltd, Redbourne Park, Liliput Road, Brackmills, Northampton NN4 7DT
Tel: 01604 662748 Fax: 01604 662746 Email: technical@vision-products.co.uk
Company Reg No: 5044512
www.vision-products.co.uk